THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general j. V. O'LOGHLIN, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of August, 1892-97.

Years	1892.	1893.	1894.	1895.	1896.	Average of Five	1897.								Total for 1897.			
*Population, Aug. 1st	326,271	336,155	343,824	348,126	351,892	Years.	352,102											
Births	831	988	924	934	790	893	845							6,410				
Rate per cent	•255	•294	•269	•268	•225	_					-2	40						
Deaths-		2 81	13 8	8 8	67		All Ages.	Under 1 year.	l and under 5.	6 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners'	‡Uncerti- fied causes of Death.	
All causes	302	380	333	274	333	324	306	51	12	25	61	48	87	22	_	36	6	2,590
Rate per cent	.093	•113	.097	.079	•095	_	•087	_	_	_	_	_	_		_	_		
Diseases—  I. Specific Febrile or Zymotic.  II. Parasitic  IV. Constitutional  VI. Local  VII. Violence  VIII. Ill-defined and not specified	24 	80 1 1 62 35 169 19	$ \begin{array}{r} 22 \\  \hline 2 \\ 60 \\ 46 \\ 173 \\ 15 \end{array} $	14 2 3 50 41 142 8	20 1 4 56 42 172 16		17 1 64 38 153 18	3 - 1 5 29 1	1 - 5 - 6	3 - 7 - 9 6	$ \begin{array}{c} 5 \\ 1 \\ -23 \\ -23 \\ 7 \end{array} $	2 - 17 - 27 2	2 — 10 20 52 2	1 - 1 13 7 -				
causes	17	13	15	14	22	_	15	12	_	_	2		1		_		_	

<sup>\*</sup>The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines. 

\* Not certified by qualified practitioners.

## Causes of Deaths registered in the Month of August, 1897.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.	Toronto and the second	Under One Year.	One Year and Above.
Ι,						Diseases of locomotive sys-		
Measles	-	_	V.			tem	_	1
Scarlet fever	-	-	Premature birth	5	-	Diseases of integumentary		
Relapsing fever	-	- 1	Cyanosis	-	- 1	system	-	1
Influenza	1	2	Congenital defects,	_	_	VII.		
Whooping-cough	-	-	Old age	-	33	(Accident.)		
Diphtheria	-	2	VI.			Fracture and contusion	_	8
Simple and ill-defined fever	-	-	Apoplexy		7	Gunshot wound		1
Enteric fever	-	3	Epilepsy	_	3	Cut, stab	_	_
Simple cholera	_	_	Convulsions	8	2	Burn and scald	_	3
Diarrhœa, dysentery	-	2	Other diseases of brain and			Poison	1	
Kemittent fever	_	_	nervous system	2	17	Drowning		1
Venereal affections	_	_	Diseases of organs of special			Suffocation	_	_
Erysipelas	1	1	sense	_	_	Otherwise		1
Pyæmia and septicæmia	1	3	Diseases of circulatory sys-			(Homicide.)		-
Puerperal fever	_	1	tem	_	40	Murder and manslaughter		
Other zymotic diseases		_	Croup	_	1	(Suicide.)		
11.			Bronchitis	8	8	Gunshot wound		_
Thrush	_	_	Pneumonia	4	10	Cut, stab		1
Worms and other parasitical			Pleurisy	_	2	Poison		1
diseases	_	1	Other diseases of respiratory			Drowning		
III.			system		3	Hanging		1
Privation—want of breast milk	_	_	Dentition	1		Otherwise		_
Alcoholism	_		Quinsy, sore throat	_	1	(Execution.)		
IV.			Enteritis	2	î	Hanging		
Rheumatic fever and rheuma-			Peritonitis		1	VIII.		
tism of heart	_	2	Diseases of liver	3	2	Dropsy		
Rheumatism		2	Other diseases of digestive	0	~	Debility, atrophy, inanition	11	
tout		1	0	1	2	Mortification		
ancer molignant discore	_	16	system	1	2	Tumor		
ancer, malignant disease			Diseases of lymphatic sys-			Abacoas		
labes mesenterica		-	tem and of ductless glands	_	17	Abscess	1	
Subercular meningitis	1	3	Diseases of urinary system	-	17	Hæmorrhage	1	
hthisis	-	33	Diseases of generative sys-		1	Sudden, cause unascertained	_	_
olulula, tuberculosis	-	2	tem	_	1	Other ill-defined and not	1	0
Other constitutional diseases	-	4	Accidents of childbirth	-	4	specified causes	1	2

Return of Births and Deaths registered in the City of Adelaide in the Month of August, 1892-97.

Years	1892.	1893.	1894.	1895.	1896.	Average of Five	1897.							Total for				
Population, Jan. 1st	38,240	39,073	39,749	40,167	40,406	Years.					40	,384						1897.
Births	99	106	92	105	81	97	0307			4,	1	05				100		748
Rate per cent	•259	•271	•231	•262	•200	Transcensor	178,170	0.5	348		-2	60	760	148	18.6		0 Å s	
Deaths—		01					All Ages.	Under I year.	land under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	
All causes	62	94	54	69	71	70	73	6	5	5	13	13	25	6	_	4	-	561
Rate per cent	162	•241	•136	·172	176	_	•181		_	_	_	_	_		_	_	-	
Diseases—  1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 11. Constitutional v. Developmental vI. Local vII. Violence vIII. Ill-defined and not specified causes	2 ————————————————————————————————————	31 — 11 3 44 3	4 — 15 6 23 2	2 2 2 12 11 38 2	2 1 2 14 10 34 4		$\begin{array}{c} 2\\ 1\\ \hline 20\\ 12\\ 31\\ 4 \end{array}$	1 2 3	1 - 2 - 2		$-\frac{1}{6}$ $-\frac{5}{1}$	- 6 6 1	- 3 8 13 1					

<sup>\*</sup> Including inquests.

## Causes of Deaths registered in the Month of August, 1897.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.	usy and an analysis	Under One Year.	One Year and Above.
I.						Accidents of childbirth	_	
Measles	_		Scrofula, tuberculosis		1	Diseases of locomotive system	-	-
Scarlet fever		_	Other constitutional diseases	_	2	Diseases of integumentary		
Relapsing fever	_					system		1
Influenza	_	1	V.					
Whooping-cough			Premature birth	1		VII. (Accident.)		
Diphtheria			Cyanosis	_	_	Fracture and contusion		2
Simple and ill-defined fever			Congenital defects			Gunshot wound		
Enteric fever		_	Old age		11	Cut, stab		
Simple cholera	_	-	3,44,85			Burn and scald	_	
Diarrhœa, dysentery		1	VI.			Poison	_	
Remittent fever	_	_	Apoplexy	_	1	Drowning		
Venereal affections			Epilepsy	_	_	Suffocation	_	_
Erysipelas			Convulsions		1	Otherwise		1
Pyæmia and septicæmia	7		Other diseases of brain and			(Homicide.)		
Puerperal fever		_	nervous system		1	Murder and manslaughter		
Other zymotic diseases			Diseases of organs of special		3	(Suicide.)		
other zymotic diseases		77	sense			Gunshot wound	301	
II.			Diseases of circulatory system		9	Cut, stab		1
Chrush	_		Croup	_	_	Poison		_
Worms and other parasitical			Bronchitis			Drowning	-	_
diseases	_	1	Pneumonia	1	4	Hanging		_
uiscases		-	Pleurisy		ī	Otherwise	_	
III.			Other diseases of respiratory			(Execution)		
Privation—want of breast milk			system		2	Hanging	_	
Alcoholism		_	Dentition	1				
atcononsin			Quinsy, sore throat	_		VIII.		
IV.			Enteritis		_	Dropsy		
Rheumatic fever and rheuma-			Peritonitis	100	1	Debility, atrophy, inanition	3	
tism of heart			Diseases of liver			Mortification	_	
The arms of igns		100000	Other diseases of digestive			Tumor		
Rheumatism	-	1	system	1 1 10	1	Abscess		
Hout mulignant disease		6	Diseases of lymphatic sys-		-	Hæmorrhage		
Cancer, malignant disease		_	tem and of ductless glands			Sudden, cause unascertained		
	1000	2	Diseases of urinary system		6	Other ill-defined and not		
Subercular meningitis	-	8	Diseases of generative system	Name of Street	1	specified causes		
Phthisis	-	0	Diseases of generalivesystem		-	specified causes		

<sup>+</sup> Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of August, 1897.

tells, who, have a restraining of \$2.9 to a printing up 2, 15, 15, 15, 15, 15, 15, 15, 15, 15, 15	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st, 1897	40,384	6,289	7,028	8,551	9,887	3,679	4,950
Persons to an acre	11.1	11.0	10.7	15.5	13.8	7.7	7.6
Births Male Female	105 54 51	17 10 7	17 12 5	27 11 16	29 14 15	4 3 1	11 4 7
Deaths Male Female	60 41 19	20 16 4	10 8 2	8 2 6	13 9 4	3 2 1	6 4 2
CLASSES.  I. Specific Febrile or Zymotic Diseases.  II. Parasitic Diseases  III. Dietic Diseases.  IV. Constitutional Diseases  V. Developmental Diseases  VI. Local Diseases  VII. Violence  VIII. Ill-defined and not specified causes	2 1 ———————————————————————————————————	5 8 4 2	9		1 1 4 2 4 -1		5
Percentage of Deaths to population of each Ward	•148	.318	•142	.093	·131	.082	•121

Causes of Deaths registered in the Month of August, 1897.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis	_	7	Accidents of childbirth		
Measles	-	- 1	Scrofula, tuberculosis	_	1	Diseases of locomotive system	-	_
Scarlet fever	-		Other constitutional diseases.		1	Diseases of integumentary		
Relapsing fever	-	-				system	-	1
Influenza	-	1	V.			VII.		1
Whooping-cough	-	_	Premature birth	1	_	(Accident.)	1	
Diphtheria	_	_	Cyanosis	_	_	Fracture and contusion		1
Simple and ill-defined fever	_	_	Congenital defects		10	Gunshot wound	-	
Enteric fever	-	-	Old age	_	10	Cut, stab		-
Simple cholera	_	1	VI.			Burn and scald		
Diarrhœa, dysentery	-				1	Poison	-	-
Remittent fever		_	Apoplexy		1	Drowning	-	-
Venereal affections	_		Convulsions	_	1	Suffocation	-	-
Erysipelas Pyæmia and septicæmia			Other diseases of brain and		-	Otherwise	-	-
Puerperal fever	_	_	nervous system		1	(Homicide.)		
Other zymotic diseases		_	Diseases of organs of special			Murder and manslaughter		-
other zymotic diseases	-		sense	_	_	(Execution)		
II.			Diseases of circulatory system	_	8	Hanging		-
Thrush	_		Croup	_	_	(Suicide.)		
Worms and other parasitical			Bronchitis	_	_	Gunshot wound	-	1
diseases	-	1	Pneumonia	1	3	Cut, stab		1
			Pleurisy	-	1	Drowning		
III.			Other diseases of respiratory			Hanging		
Privation - Want of breast			system	_	2	Otherwise		
milk	_	-	Dentition	1	-			
Alcoholism	_	-	Quinsy, sore throat	-	_	VIII.		
			Enteritis	-	_	Dropsy		-
IV.			Peritonitis	-	1	Debility, atrophy, inanition	3	_
Rheumatic fever and rheu-			Diseases of liver	-	_	Mortification		-
matism of heart	-	-	Other diseases of digestive		1	Tumor		
Rheumatism	-		system	-	1	Abscess	-	
Gout	-	1	Diseases of lymphatic system			Hæmorrhage		
Cancer, malignant disease	-	3	and of ductless glands	_	3	Sudden, cause unascertained.		
Tabes mesenterica	-	-	Diseases of urinary system	-	1	Other ill-defined and not specified causes		
Tubercular meningitis	-	2	Diseases of generative system	-	1	cined causes		1

## AUGUST, 1897.

The highest temperature in the shade at the Adelaide Observatory during the month was 66°·4 on the 27th; and the lowest, 37°·7, on the 23rd. The mean temperature of the month was 52°·6.

The greatest range of the thermometer in one day, 24°·5, took place on the 26th, viz., from a maximum of 62°·4 to a minimum of 37°·9; the lowest range, 5°·6, on the 12th.

The mean height of the barometer was 29.967 inches; the maximum, 30.329 inches, occurred on the 6th; and the minimum, 29.271 inches, on the 28th.

Observatory, Adelaide, September 8th, 1897.

C. Todd, Observer.